

Bollards

Complete range of parking bollards




tuned to you

Pillar B

→ 230v AC hydraulic bollard for very intensive use. Its size and technical characteristics make it particularly suitable, thanks to the special SD(security) version that keeps the shaft raised in the event of a power failure, for installations to protect sensitive places (ministries, barracks, airports, access to buildings of particular importance, etc.). The standard version, on the other hand, is suitable for public installations where the shaft must lower spontaneously, freeing the passage in the event of a power failure. Designed and built with the aim of simplifying maintenance thanks to the hydraulic pump located under the flange.



→ PERSEO CBD control unit with menu programming on the display, automatic routine servicing warning, simultaneous management of up to 4 bollards, integrated receiver and integrated heating element.



PILLAR B Ø275/600
PILLAR B Ø275/600 INOX



PILLAR B Ø275/800
PILLAR B Ø275/800 INOX



PERSEO CBD dedicated control panel: manages up to 4 bollards in parallel, programming menu on the display, integrated heating element and incorporated receiver.

Main accessories: RME 1 BT 24V metal mass detector, one channel / RME 2 230V metal mass detector, two channels/ SPIRA 2x1 magnetic coil 2x1 m

TECHNICAL CHARACTERISTICS

	PILLAR B Ø275/600	PILLAR B Ø275/800
Supply voltage	230V ± 1 0% 50/60 Hz	230V ± 1 0% 50/60 Hz
Hand operated	SPONTANEOUS	SPONTANEOUS
External control unit	EXTERNAL MODE PERSEO CBD	EXTERNAL MODE PERSEO CBD
Work type	3000 movement a day	3000 movement a day
Rising time	5 seconds	6,5 seconds
Protection rating	IP 67	IP 67
Impact resistance	20,000 JOULES	20,000 JOULES
Break-in proof	250,000 JOULES	250,000 JOULES
Operating temperature	- 30° C + 60° C	-30° C + 60° C

Bft, tuned to you

With Bft, your job gets easier.

Because we don't just create "good" products, that work pretty well.

Our thinking is beyond the short-term.

We are conceiving, designing and creating high-tech solutions that are as advanced and effective as they are reliable and long-lasting.

Because we want to provide tools and services that truly are innovative, that will improve your performance and enhance your skills; and that will make your business easier, increasing its profitability.

Because our focus is on Quality with a capital Q.

We just won't settle for less.

Bft Automation UK Ltd (North)
Unit 8E, Newby Road Industrial Estate
Hazel Grove, Stockport, Cheshire, SK7 5DA
Tel: 0161 456 0456
Fax: 0161 456 9090

Bft Automation UK Ltd (South)
Unit B, Aerial Business Park
Membury, Berkshire, RG17 7RZ
Tel: 0800 32 88 198
Fax: 0800 32 88 298

Bft Ireland
Unit 1, Naas Road Business Park
Muirfield Drive, Dublin 12
Tel: 01 4564711
Fax: 01 4508337

www.bft.co.uk

www.bft.co.uk

www.bftautomation.ie